


ACCESSORIES



**COMPLEMENTS FOR SUBMERSIBLE
MOTORS AND ELECTROPUMPS**




Made in Italy

SACRIFICIAL ANODE

Model	Code	Description
	ANODE4OM	DESIGNED FOR THE SERIES OF 4" OIL FILLED SUBMERSIBLE MOTORS 4OM, 4OM2W, 4OME, 4OME SOLAR This special anode, made in "cadmium free " zinc-aluminium, protects motor from corrosion caused by stray currents or by usage in particularly aggressive waters. It's been designed to be easily applied to the lower end of the motor, allowing a quick installation just in case of need.
	ANODEFROG	DESIGNED FOR THE SERIES OF ELECTRO-PUMPS 5" FROG This special anode, made in "cadmium free " zinc-aluminium, protects the 5" electropump FROG from corrosion caused by stray currents or by usage in particularly aggressive waters. It's been designed to be easily applied to the lower end of the 5" electropump FROG, allowing a quick installation just in case of need.

CAPACITORS

Model	Code	µF	Voltage	Frequency	Description
	CAP20	20	450V C-Class	50/60 Hz	Capacitors with flexible leads of 100 mm length and water-tight end.
	CAP25	25	450V C-Class	50/60 Hz	
	CAP35	35	450V C-Class	50/60 Hz	
	CAP40	40	450V C-Class	50/60 Hz	
	CAP60	60	450V C-Class	50/60 Hz	
	CAP70	70	450V C-Class	50/60 Hz	
	CAP80	80	450V C-Class	50/60 Hz	

CABLES FOR SUBMERSIBLE MOTORS AND ELECTROPUMPS

Model	Code	Length [m]	Section [mm²]	Description
	4OM	4WM		
	0703402	0703481	1,7	1,5
	0703403	0703482	2,7	2
	0703404	0703483	3,5	2
	0703405	0703484	10	1,5
	0703406	0703485	20	1,5
	0703407	0703486	20	2
	0703408	0703487	30	1,5
	0703409	0703488	30	2
	0703411	0703489	50	1,5
	0703412	0703490	50	2
	6OM			
	0603401	3	4	CABLE WITH CONNECTOR FOR THE SERIES OF SUBMERSIBLE MOTORS 4OM, 4WM, 4OM2W, 4WM2W, 4OME, 4OME SOLAR AND 6OM
	0603403	4	8	
	0603414	10	4	Blue flat cable made in cross-linked gum with connector for submersible motor.
	0603415	10	8	
	0603408	30	4	Usable up to about 250 meters depth, even in drinking water.
	0603409	30	8	
	0603410	50	4	All cables are homologated ACS, KTW, WRAS.
	0603411	50	8	
	0603416	80	4	
	0603417	80	8	
	4OM2W	4WM2W		
	0703441	0704010	1,5	1,5
	0703442	0704011	20	1,5
0703443	0704012	30	1,5	
4OME	4OME SOLAR			
0703471	1,5	1,5		
0703473	30	1,5		




FROG					CABLE WITH CABLE GLAND CONNECTOR FOR THE SERIES OF ELECTROPUMPS 5" FROG
	1101710 5" FROG cable 1-ph with Shuko plug	10	1		
	1101711 5" FROG cable 1-ph with Shuko plug	20	1		H07 RN-F cable with connector for fast and easy connection to electropumps.
	1101720 5" FROG cable 3-ph	10	1		
	1101721 5" FROG cable 3-ph	20	1		Single-phase versions with Schuko plug end. Different plugs upon request.


FLOAT SWITCH FROG

Model	Code	Description
	1101702	FLOAT SWITCH WITH CABLE GLAND CONNECTOR FOR THE SERIES OF ELECTROPUMPS 5" FROG Float switch with H07RN-F cable and connector for easy connection and removal. MAX. USAGE DEPTH 40 m

PLUG CONNECTOR WITH FERRULE FROG

Model	Code	Description
	1101703KIT	PLUG CONNECTOR WITH FERRULE FOR THE SERIES OF ELECTROPUMPS 5" FROG

DISASSEMBLY KIT FROG

Model	Code	Description
	0103101	DISASSEMBLY KIT FOR THE SERIES OF ELECTROPUMPS 5" FROG This kit helps all installers to repair their FROG 5" submersible electropump.

PRESSURE TRANSDUCER 40ME

Model	Code	Description
	0703001	PRESSURE TRANSDUCER FOR THE SERIES OF 4" OIL FILLED SUBMERSIBLE MOTORS 40ME 0-16 bar 4-20 mA IP 65.



PM S.r.l.

Via A. Volta, 8
36040 Brendola (VI) - Italy
T. +39 0444 673043
F. +39 0444 677273
info@pmtechnology.eu
www.pmtechnology.eu



ISO 9001:2015 Certified Company

© COPYRIGHT PM S.r.l.

All rights reserved.
All information shown in this catalogue are purely indicative;
PM S.r.l. reserves the right to make any necessary variation without prior
notice.

EDIT: BROCHURE ACCESSORIES EN/OCT/2020